adults with mild cognitive deficits. Spring 178–185
Choo IH: *See* **Lee DY**
Citrome LL: *See* **Hoptman MJ**
Clark DG: *See* **McMurtray AM**
Clemente I: *See* **Ariza M**
Coburn KL, Lauterbach EC, Boutros NN, Black KJ, Arciniegas DB, Coffey CE: The value of quantitative electroencephalography in clinical psychiatry: a report by the Committee on Research of the American Neuropsychiatric Association. Fall 460–500
Coffey CE: *See* **Coburn KL**
Collimedaglia L: *See* **Mula M**
Cook IA: *See* **Venneman S**
Crockford D: *See* **Quickfall J**
Curtis A, Rickards H: Nabilone could treat chorea and irritability in Huntington's disease (letter). Fall 553–554
Czobor P: *See* **Hoptman MJ**
Daniels C: *See* **Witt K**
Davis LW: *See* **Lysaker PH**
del Matarin M: *See* **Ariza M**
Dennis M: *See* **Max JE**
Deuschl G: *See* **Witt K**
Dikmen S: *See* **Bombardier CH**
Diniz JB: *See* **Alvarenga PG**
Doyle JJ: *See* **Marshall GA**
Duda JE: *See* **Weintraub D**
Duff K: *See* **Chen X**
Duggal HS: *See* **Mendhekar DN**
Elger CE: *See* **Boutros NN**
Esselman PC: *See* **Bombardier CH**
Ewing-Cobbs L: *See* **Max JE**
Fahey M: *See* **Walterfang M**
Fann JR: *See* **Bombardier CH**
Farrer LA: *See* **Tsai DH**
Farzin F: *See* **Bourgeois JA**
Feil D: *See* **Hashimoto H**
Feinstein A: *See* **Chamelian L**
Fietz M: *See* **Walterfang M**
Fisher R: *See* **Hurley RA**
Fleminger S, Leigh E, McCarthy C: The size of demand for specialized neuropsychiatry services: rates of referrals to neuropsychiatric services in the South Thames region of the United Kingdom. Winter 121–128
Flood MK: *See* **McMurtray AM**
Foldi NS: *See* **Brickman AM**
Frank Y: Handbook of Neurodevelopmental and Genetic Disorders in Adults, edited by Goldstein S, Reynolds CR (book review). Summer 423
Frankoff R: *See* **Jankovic J**
Freeman T: *See* **Roca V**
Friedman JNW, Hurley RA, Taber KH: Bipolar disorder: imaging state versus trait (windows to the brain). Summer 296–301
Fritzer G: *See* **Göder R**
Fukui K: *See* **Kitabayashi Y**
Garnacho A: *See* **Ariza M**
Gatzonis S: *See* **Alevizos B**
Gerig G: *See* **Hoptman MJ**
Giannakou M: *See* **Bozikas VP**
Göder R, Aldenhoff JB, Boigs M, Braun S, Koch J, Fritzer G: Delta power in sleep in relation to neuropsychological performance in healthy subjects and schizophrenia patients. Fall 529–535
Gonzalez J: *See* **Papapetropoulos S**
Green RC: *See* **Tsai DH**
Grunwald T: *See* **Boutros NN**
Guaiana G, Markova I: Antipsychotic treatment improves outcome in herpes simplex encephalitis: a case report (letter). Spring 247
Gualtieri CT, Johnson LG, Benedict KB: Neurocognition in depression: patients on and off medication versus healthy comparison subjects. Spring 217–225
Guerrero M Jr: *See* **Heller PL**
Gunstad J: *See* **Spitznagel MB**
Gupta R: *See* **Bhatia MS**
Gupta R, Bansal S: Paradoxical dyskinesia with olanzapine (letter). Winter 132
Gur RE: *See* **Moberg PJ; Roalf DR**
Hagerman P: *See* **Bourgeois JA**
Hagerman R: *See* **Bourgeois JA**
Hahn E: *See* **Brickman AM**
Hart J: *See* **Roca V**
Harvey PD, Bowie CR, Loebel A: Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Winter 54–63
Harwood D: *See* **Hashimoto H**
Hashimoto H, Monserratt L, Nguyen P, Feil D, Harwood D, Mandelkern MA, Sultzer DL: Anxiety and regional cortical glucose metabolism in patients with Alzheimer's disease. Fall 521–528
Hashioka S: *See* **Ohara T**
Hazlett EA: *See* **Brickman AM**
Heller PL, Briones DF, Schiffer RB, Guerrero M Jr, Royall DR, Wilcox JA, Ledger EM: Mexican-American ethnicity and cognitive function: findings from an elderly southwestern sample. Summer 350–355
Helvink B, Holroyd S: Buspirone for stereotypic movements in elderly with cognitive impairment. Spring 242–244
Hendren RL: *See* **Sugden SG**
Hennessy RJ, McLearie S, Kinsella A, Waddington JL: Facial shape and asymmetry by three-dimensional laser surface scanning covary with cognition in a sexually dimorphic manner. Winter 73–80
Herzog J: *See* **Witt K**
Hessl D: *See* **Bourgeois JA**
Hirano S: *See* **Ohara T**
Hirano Y: *See* **Ohara T**
Holroyd S: *See* **Helvink B**
Holroyd S, Wooten GF: Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Summer 402–404
Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocher J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM: Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Fall 509–515
Hounie AG: *See* **Alvarenga PG**
Hsu Y-P: *See* **Li C-SR**
Hurley RA: *See* **Friedman JNW; Taber KH**
Hurley RA, Fisher R, Taber KH: Sudden onset panic: epileptic aura or panic disorder? (Windows to the Brain). Fall 436–443
Hyungin C: *See* **Kitabayashi Y**
Ivanov Z: *See* **Brickman AM**
Jankovic J, Kwak C, Frankoff R: Tourette's syndrome and the law. Winter 86–95
Jhoo JH: *See* **Lee DY**
Johnson LG: *See* **Gualtieri CT**
Johnson SC: *See* **Roalf DR**
Joint Advisory Committee on Subspecialty Certification of the American Neuropsychiatric Association and The Society for Behavioral and Cognitive Neurology: *See* **Arciniegas DB**

Julian LJ, Mohr DC: Cognitive predictors of response to treatment for depression in multiple sclerosis. Summer 356–363
Junqué C: *See* **Ariza M**
Kameyama M: *See* **Matsui H**
Kanba S: *See* **Ohara T**
Kang JG: *See* **Yoo HJ**
Karavatos A: *See* **Bozikas VP**
Kasper JD: *See* **Lee HB**
Kato T: *See* **Ohara T**
Katz IR: *See* **Weintraub D**
Kaufer DI: *See* **Arciniegas DB**
Kayal M: *See* **Balhara YPS**
Kayal M, Varghese ST, Balhara YPS: Psychiatric manifestation of SSPE (letter). Fall 560
Keough M: *See* **Bombardier CH**
Kile SJ: *See* **Sugden SG**
Kimbrell T: *See* **Roca V**
Kim E, Bijlani M: A pilot study of quetiapine treatment of aggression due to traumatic brain injury. Fall 547–549
Kim KW: *See* **Lee DY**
Kim SY: *See* **Yoo HJ**
Kim T-S: *See* **Pae C-U**
Kinsella A: *See* **Hennessy RJ**
Kitabayashi Y: *See* **Narumoto J**
Kitabayashi Y, Narumoto J, Otakara C, Hyungin C, Yamada K, Fukui K: Schizophrenia-like psychosis following right putaminal infarction (letter). Fall 560–561
Koch J: *See* **Göder R**
Kohler CG: *See* **Moberg PJ**
Ko N-C: *See* **Li C-SR**
Korzyukov O: *See* **Boutros NN**
Kosmidis MH: *See* **Bozikas VP**
Krack P: *See* **Witt K**
Kubori T: *See* **Matsui H**
Kurthen M: *See* **Boutros NN**
Kwak C: *See* **Jankovic J**
Landis J: *See* **Max JE**
Laufer DZ: *See* **Papapetropoulos S**
Lauterbach EC: *See* **Coburn KL**
Leane P: *See* **Walterfang M**
Ledger EM: *See* **Heller PL**
Lee C: *See* **Pae C-U**
Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI: White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Spring 191–198
Lee HB, Kasper JD, Shore AD, Yokley JL, Black BS, Rabins PV: Level of cognitive impairment predicts mortality in high-risk community samples: the Memory and Medical Care study. Fall 543–546
Lee JG: *See* **Yoo HJ**
Lee SA: *See* **Yoo HJ**
Lee UY: *See* **Lee DY**
Leigh E: *See* **Fleminger S**
Leuchter A: *See* **Venneman S**
Levin HS: *See* **Max JE**
Li C-SR, Chang H-L, Hsu Y-P, Wang H-S, Ko N-C: Motor respose inhibition in children with Tourette's disorder. Summer 417–419
Lieberman A: *See* **Papapetropoulos S**
Lieberman JA: *See* **Hoptman MJ**
Lincoln SJ: *See* **Brickman AM**
Lindenmayer J-P: *See* **Hoptman MJ**
Ling W: *See* **Venneman S**
Lin HS: *See* **Chen WH**
Liossi C: *See* **Wood RL**
Liu JS: *See* **Chen WH**
Loebel A: *See* **Harvey PD**
Lohr JB, Caligiuri MP: Abnormalities in motor physiology in bipolar disorder. Summer 342–349
Lopez-Gómez M: *See* **Ramirez-Bermudez J**
Lorenz D: *See* **Witt K**
Lu P-H: *See* **Mendez MF**
Lubman DI: *See* **Walterfang M**
Luborzewski A, Regen F, Schindler F, Anghelescu I: Modafinil-induced reversible hyperkinetic nondystonic movement disorder in a patient with major depressive disorder (letter). Spring 248–249
Lysaker PH, Whitney KA, Davis LW: Awareness of illness in schizophrenia: associations with multiple assessments of executive function. Fall 516–520
Maekawa T: *See* **Ohara T**
Magli E: *See* **Mula M**
Magnotta VA: *See* **Chen X**
Mago R: *See* **Pinninti NR**
Mandelkern MA: *See* **Hashimoto H**
Markova I: *See* **Guaiana G**
Marshall GA, Doyle JJ: Long-term treatment of Hashimoto's encephalopathy. Winter 14–20
Mash DC: *See* **Papapetropoulos S**
Mataró M: *See* **Ariza M**
Matsui H, Udaka F, Oda M, Tamura A, Kubori T, Nishinaka K, Kameyama M: Parkinson's disease following panic disorder (letter). Winter 130
Max JE, Levin HS, Schachar RJ, Landis J, Saunders AE, Ewing-Cobbs L, Chapman SB, Dennis M: Predictors of personality change due to traumatic brain injury in children and adolescents six to twenty-four months after injury. Winter 21–32
Mazurek MF: *See* **Anglin RE**
McCarthy C: *See* **Fleminger S**
McDaniel WW, Spiegel DR, Sahota AK: Topiramate effect in catatonia: a case series. Spring 234–238
McLearie S: *See* **Hennessy RJ**
McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF: Depressive and memory symptoms as presenting features of spinocerebellar ataxia. Summer 420–422
Mehdorn M: *See* **Witt K**
Mendez MF: *See* **McMurtray AM**
Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL: Acquired extroversion associated with bitemporal variant of frontotemporal dementia. Winter 100–107
Mendhekar DN, Duggal HS: Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Spring 245–246
Mendhekar DN, Duggal HS: Isolated oculogyric crisis on clozapine discontinuation (letter). Summer 424–425
Mendhekar DN, Duggal HS: Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Fall 552–553
Mercadante MT: *See* **Alvarenga PG**
Miguel EC: *See* **Alvarenga PG**
Miller BL: *See* **Mendez MF**
Mitchell WG: *See* **Turkel SB**
Mitelman SA: *See* **Brickman AM**
Moberg PJ: *See* **Roalf DR**
Moberg PJ, Arnold SE, Roalf DR, Balderston CC, Abbazia J, Kohler CG, Gur RE, Turetsky BI: Apolipoprotein E genotype and odor identification in schizophrenia. Spring 231–233
Mohr DC: *See* **Julian LJ**
Monaco F: *See* **Mula M**
Monji A: *See* **Ohara T**
Monserratt L: *See* **Hashimoto H**
Morales KH: *See* **Weintraub D**
Moral P: *See* **Ariza M**
Morgan JC: *See* **Valadi N**
Mula M, Cavanna A, Collimedaglia L, Barbagli D, Magli E, Monaco F: The role of aura in psychopathology and dissociative experiences in epilepsy. Fall 536–542
Murat A, Pervin I, Sener KS: Insuli-

noma in differential diagnosis of seizure disorder (letter). Spring 247–248
Nader-Kawachi J: *See* **Ramirez-Bermudez J**
Nakamura K: *See* **Narumoto J**
Narumoto J: *See* **Kitabayashi Y**
Narumoto J, Nakamura K, Kitabayashi Y: Othello syndrome secondary to right orbitofrontal lobe excision (letter). Fall 560–561
Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH: Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Winter 45–53
Newmark RE: *See* **Brickman AM**
Newton T: *See* **Venneman S**
Nguyen P: *See* **Hashimoto H**
Nicolini H: *See* **Ramirez-Bermudez J**
Nishinaka K: *See* **Matsui H**
Oda M: *See* **Matsui H**
Ohara T, Monji A, Onitsuka T, Maekawa T, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S: Interictal psychosis after stroke with forced normalization (letter). Fall 557–558
Onar M: *See* **Şahin HA**
Onitsuka T: *See* **Ohara T**
Otakara C: *See* **Kitabayashi Y**
Owzar K: *See* **Roalf DR**
Pae C-U, Kim T-S, Lee C, Paik I-H: Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed-sequelae of carbon monoxide intoxication (letter). Winter 130–131
Paik I-H: *See* **Pae C-U**
Papapetropoulos S: Regional alpha-synuclein aggregation, dopaminergic dysregulation, and the development of drug-related visual hallucinations in Parkinson's disease. Spring 149–157
Papapetropoulos S, Lieberman A, Gonzalez J, Singer C, Laufer DZ, Mash DC: Family history of dementia: dementia with Lewy bodiies and dementia in Parkinson's disease. Winter 113–116
Pelzer E: *See* **Bombardier CH**
Perlman S: *See* **McMurtray AM**
Pervin I: *See* **Murat A**
Pinninti NR, Mago R, Adityanjee: Tardive dystonia-associated prescription of aripiprazole (letter). Summer 426–427
Poca MA: *See* **Ariza M**
Polcari A: *See* **Navalta CP**
Prabhakar VR, Abraham RNM: A case of difficult diagnosis of rabies in the absence of a dog bite in a patient with depression (letter). Summer 425–426
Quickfall J, Crockford D: Brain neuroimaging in cannabis use: a review. Summer 318–332
Rabins PV: *See* **Lee HB**
Ramasubbu R, Tobias R, Buchan AM, Bech-Hansen NT: Serotonin transporter gene promoter region polymorphism associated with poststroke major depression. Winter 96–99
Ramirez-Bermudez J, Lopez-Gómez M, Ana LS, Aceves S, Nader-Kawachi J, Nicolini H: Frequency of delirium in a neurological emergency room. Winter 108–112
Ranjith G: *See* **Almeida S**
Rawson R: *See* **Venneman S**
Regen F: *See* **Luborzewski A**
Reiff J: *See* **Witt K**
Rickards H: *See* **Curtis A**
Roalf DR: *See* **Moberg PJ**
Roalf DR, Turetsky BI, Owzar K, Balderston CC, Johnson SC, Brensinger CM, Gur RE, Siegel SJ, Moberg PJ: Unirhinal olfactory function in schizophrenia patients and first-degree relatives. Summer 389–396
Roca V, Hart J, Kimbrell T, Freeman T: Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Spring 226–230
Rosburg T: *See* **Boutros NN**
Rosebush PI: *See* **Anglin RE**
Royall DR: *See* **Heller PL**
Şahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M: Frontal functions in young patients with essential tremor: a case comparison study. Winter 64–72
Sahota AK: *See* **McDaniel WW**
Sahuquillo J: *See* **Ariza M**
Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC: Ascending digits task as a measure of executive function in geriatric depression. Winter 117–120
Salem M: *See* **Alvarenga PG**
Salvatore MF: *See* **Ankenman R**
Saunders AE: *See* **Max JE**
Schachar RJ: *See* **Max JE**
Schaefer M: *See* **Venneman S**
Schiffer RB: *See* **Heller PL**
Schindler F: *See* **Luborzewski A**
Schultz SK: *See* **Chen X**
Sener KS: *See* **Murat A**
Sethi KD: *See* **Valadi N**
Shapira JS: *See* **Mendez MF**
Sheitman B: *See* **Hoptman MJ**
Shihabuddin L: *See* **Brickman AM**
Shore AD: *See* **Lee HB**
Shulman MB: Psychiatry for Neurologists, edited by Jeste DV, Friedman JH (book review). Fall 550
Siegel SJ: *See* **Roalf DR**
Silliman RA: *See* **Tsai DH**
Silver JM: Behavioral neurology and neuropsychiatry *is* a subspecialty (editorial). Spring 146–148
Simon SL: *See* **Venneman S**
Singer C: *See* **Papapetropoulos S**
Spiegel DR: *See* **McDaniel WW**
Spina G: *See* **Alvarenga PG**
Spitznagel MB, Tremont G, Brown LB, Gunstad J: Cognitive reserve and the relationship between depressive symptoms and awareness of deficits in dementia. Spring 186–190
Steffens DC: *See* **Sair HI**
Stern MB: *See* **Weintraub D**
Sugden SG, Kile SJ, Hendren RL: Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Summer 302–317
Sullivan D: *See* **Walterfang M**
Sultzer DL: *See* **Hashimoto H**
Suryavanshi P: *See* **Tadke RR**
Taber KH: *See* **Friedman JNW; Hurley RA**
Taber, KH, Hurley RA: Functional neuroanatomy of sleep and sleep deprivation (windows to the brain). Winter 1–5
Taber KH, Warden DL, Hurley RA: Blast-related traumatic brain injury: what is known? (windows to the brain). Spring 141–145
Tadke RR, Suryavanshi P: Use of intravenous valproate in a patient with neuroleptic malignant syndrome (letter). Winter 131–132
Tamura A: *See* **Matsui H**
Taraborelli D: *See* **Weintraub D**
Tassone F: *See* **Bourgeois JA**
Tavare CJ: *See* **Turkel SB**
Teicher MH: *See* **Navalta CP**
Temkin N: *See* **Bombardier CH**
Terzi M: *See* **Şahin HA**
Tobias R: *See* **Ramasubbu R**

Trautner P: *See* **Boutros NN**
Tremont G: *See* **Spitznagel MB**
Tsai DH, Green RC, Benke KS, Silliman RA, Farrer LA: Predictors of subjective memory complaint in cognitively normal relatives of patients with Alzheimer's disease. Summer 384–388
Turetsky BI: *See* **Moberg PJ; Roalf DR**
Turkel SB, Brumm VL, Mitchell WG, Tavare CJ: Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Spring 239–241
Uçak S: *See* **Şahin HA**
Udaka F: *See* **Matsui H**
Uijtdehaage S: *See* **Venneman S**
Valadi N, Morgan JC, Sethi KD: Psychogenic movement disorder masquerading as CJD (letter). Fall 562–563
Varghese ST: *See* **Balhara YPS; Kayal M**
Velakoulis D: *See* **Walterfang M**
Venneman S, Leuchter A, Bartzokis G, Beckson M, Simon SL, Schaefer M, Rawson R, Newton T, Cook IA, Uijtdehaage S, Ling W: Variation in neurophysiological function and evidence of quantitative electroencephalogram discordance: predicting cocaine-dependent treatment attrition. Spring 208–216
Volavka J: *See* **Hoptman MJ**
Volkmann J: *See* **Witt K**
Waddington JL: *See* **Hennessy RJ**
Wagner HR: *See* **Sair HI**
Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D: The neuropsychiatry of Niemann-Pick type C disease in adulthood. Spring 158–170
Wang H-S: *See* **Li C-SR**
Warden DL: *See* **Taber KH**
Webster DM: *See* **Navalta CP**
Weintraub D, Taraborelli D, Morales KH, Duda JE, Katz IR, Stern MB: Escitalopram for major depression in Parkinson's disease: an open-label, flexible-dosage study. Summer 377–383
Welsh-Bohmer KA: *See* **Sair HI**
Whitney KA: *See* **Lysaker PH**
Wilcox JA: *See* **Heller PL**
Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Deuschl G, Krack P: Differential effects of L-dopa and subthalamic stimulation on depressive symptoms and hedonic tone in Parkinson's disease. Summer 397–401
Woo JI: *See* **Lee DY**
Wood RL, Liossi C: Neuropsychological and neurobehavioral correlates of aggression following traumatic brain injury. Summer 333–341
Wooten GF: *See* **Holroyd S**
Yamada K: *See* **Kitabayashi Y**
Yapici O: *See* **Şahin HA**
Yokley JL: *See* **Lee HB**
Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG: Compromised memory function in schizophrenia and temporal lobe epilepsy. Spring 199–207
Yoshida I: *See* **Ohara T**
Youn JC: *See* **Lee DY**
Zhang L: *See* **Bourgeois JA**
Ziegenbein M, Calliess IT: Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia (letter). Spring 246–247

Subject Index

Addison's Disease
The neuropsychiatric profile of Addison's disease: revisiting a forgotten phenomenon. Anglin RE, Rosebush PI, Mazurek MF. Fall 450–459
Adverse Drug Effects
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246
Isolated oculogyric crisis on clozapine discontinuation (letter). Mendhekar DN, Duggal HS. Summer 424–425
Modafinil-induced reversible hyperkinetic nondystonic movement disorder in a patient with major depressive disorder (letter). Luborzewski A, Regen F, Schindler F, Anghelescu I. Spring 248–249
Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132
Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Mendhekar DN, Duggal HS. Fall 552–553
Regional alpha-synuclein aggregation, dopaminergic dysregulation, and the development of drug-related visual hallucinations in Parkinson's disease. Papapetropoulos S. Spring 149–157
Affective Prosody
Impaired perception of affective prosody in schizophrenia. Bozikas VP, Kosmidis MH, Anezoulaki D, Giannakou M, Andreou C, Karavatos A. Winter 81–85
Aggression
Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocker J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM. Fall 509–515
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317
Neuropsychological and neurobehavioral correlates of aggression following traumatic brain injury. Wood RL, Liossi C. Summer 333–341
A pilot study of quetiapine treatment of aggression due to traumatic brain injury. Kim E, Bijlani M. Fall 547–549
Alpha Adrenergic Agents
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317
Alzheimer's Disease
Anxiety and regional cortical glucose metabolism in patients with Alzheimer's disease. Hashimoto H, Monserratt L, Nguyen P, Feil D, Harwood D, Mandelkern MA, Sultzer DL. Fall 521–528
Predictors of subjective memory complaint in cognitively normal relatives of patients with Alzheimer's disease.

Tsai DH, Green RC, Benke KS, Silliman RA, Farrer LA. Summer 384–388
White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI. Spring 191–198

American Neuropsychiatric Association
Abstracts presented at the Seventeenth Annual Meeting, 2006. Spring 251–285
The value of quantitative electroencephalography in clinical psychiatry: a report by the Committee on Research of the American Neuropsychiatric Association. Coburn KL, Lauterbach EC, Boutros NN, Black KJ, Arciniegas DB, Coffey CE. Fall 460–500

Anatomy
Facial shape and asymmetry by three-dimensional laser surface scanning covary with cognition in a sexually dimorphic manner. Hennessy RJ, McLearie S, Kinsella A, Waddington JL. Winter 73–80

Angiotensin-Converting Enzyme
Influence of angiotensin-converting enzyme polymorphism on neuropsychological subacute performance in moderate and severe traumatic brain injury. Ariza M, del Matarin M, Junqué C, Mataró M, Clemente I, Moral P, Poca MA, Garnacho A, Sahuquillo J. Winter 39–44

Antidepressants
Cognitive predictors of response to treatment for depression in multiple sclerosis. Julian LJ, Mohr DC. Summer 356–363
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Escitalopram for major depression in Parkinson's disease: an open-label, flexible-dosage study. Weintraub D, Taraborelli D, Morales KH, Duda JE, Katz IR, Stern MB. Summer 377–383
Neurocognition in depression: patients on and off medication versus healthy comparison subjects. Gualtieri CT, Johnson LG, Benedict KB. Spring 217–225
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317

Antipsychotics
Antipsychotic treatment improves outcome in herpes simplex encephalitis: a case report (letter). Guaiana G, Markova I. Spring 247
Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia (letter). Ziegenbein M, Calliess IT. Spring 246–247
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Winter 130–131
Essential blepharospasm responding to haloperidol (letter). Bhatia MS, Gupta R. Fall 554–556
Isolated oculogyric crisis on clozapine discontinuation (letter). Mendhekar DN, Duggal HS. Summer 424–425
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317
Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63
Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132
Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Mendhekar DN, Duggal HS. Fall 552–553
A pilot study of quetiapine treatment of aggression due to traumatic brain injury. Kim E, Bijlani M. Fall 547–549
Tardive dystonia-associated prescription of aripiprazole (letter). Pinninti NR, Mago R, Adityanjee. Summer 426–427
Treatment of intractable hiccups with olanzapine following recent severe traumatic brain injury (letter). Alderfer BS, Arciniegas DB. Fall 551–552

Anxiety
Anxiety and regional cortical glucose metabolism in patients with Alzheimer's disease. Hashimoto H, Monserratt L, Nguyen P, Feil D, Harwood D, Mandelkern MA, Sultzer DL. Fall 521–528
Cognitive behavioral therapy versus psychosurgery for refractory obsessive-compulsive disorder (letter). Anderson SW, Brooker MB Jr. Winter 129
Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230
Parkinson's disease following panic disorder (letter). Matsui H, Udaka F, Oda M, Tamura A, Kubori T, Nishinaka K, Kameyama M. Winter 130
Posttraumatic stress disorder symptoms during the first six months after traumatic brain injury. Bombardier CH, Fann JR, Temkin N, Esselman PC, Pelzer E, Keough M, Dikmen S. Fall 501–508
Sudden onset panic: epileptic aura or panic disorder? (Windows to the Brain). Hurley RA, Fisher R, Taber KH. Fall 436–443

Apolipoprotein E
Apolipoprotein E genotype and odor identification in schizophrenia. Moberg PJ, Arnold SE, Roalf DR, Balderston CC, Abbazia J, Kohler CG, Gur RE, Turetsky BI. Spring 231–233

Aripiprazole
Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Winter 130–131
Tardive dystonia-associated prescription of aripiprazole (letter). Pinninti NR, Mago R, Adityanjee. Summer 426–427

Ataxia
Dementia with mood symptoms in a fragile X premutation carrier with

the fragile X-associated tremor/ ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177

Depressive and memory symptoms as presenting features of spinocerebellar ataxia. McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF. Summer 420–422

Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Turkel SB, Brumm VL, Mitchell WG, Tavare CJ. Spring 239–241

Auditory-Evoked Responses

Mid-latency auditory-evoked responses and sensory gating in focal epilepsy: a preliminary exploration. Boutros NN, Trautner P, Koryzukov O, Grunwald T, Burroughs S, Elger CE, Kurthen M, Rosburg T. Summer 409–416

Behavior

Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244

Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Turkel SB, Brumm VL, Mitchell WG, Tavare CJ. Spring 239–241

Behavioral Neurology

Behavioral neurology and neuropsychiatry *is* a subspecialty (editorial). Silver JM. Spring 146–148

Core curriculum for training in behavioral neurology & neuropsychiatry. Arciniegas DB, Kaufer DI, The Joint Advisory Committee on Subspecialty Certification of the American Neuropsychiatric Association and The Society for Behavioral and Cognitive Neurology. Winter 6–13

Benzodiazepines

Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317

Bipolar Disorder

Abnormalities in motor physiology in bipolar disorder. Lohr JB, Caligiuri MP. Summer 342–349

Bipolar disorder: imaging state versus trait (windows to the brain). Friedman JNW, Hurley RA, Taber KH. Summer 296–301

Myasthenia gravis disclosed by lithium carbonate (letter). Alevizos B, Gatzonis S, Anagnostara C. Summer 427–429

Blepharospasm

Essential blepharospasm responding to haloperidol (letter). Bhatia MS, Gupta R. Fall 554–556

Books Reviewed

Goldstein S, Reynolds CR, eds: Handbook of Neurodevelopmental and Genetic Disorders in Adults, Frank Y. Summer 423

Jeste DV, Friedman JH, eds: Psychiatry for Neurologists, Shulman MB. Fall 550

Brain Imaging. *See also specific imaging modalities*

Acquired extroversion associated with bitemporal variant of frontotemporal dementia. Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL. Winter 100–107

Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocker J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM. Fall 509–515

Bipolar disorder: imaging state versus trait (windows to the brain). Friedman JNW, Hurley RA, Taber KH. Summer 296–301

Blast-related traumatic brain injury: what is known? (windows to the brain). Taber KH, Warden DL, Hurley RA. Spring 141–145

Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332

Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177

Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185

Frontal functions in young patients with essential tremor: a case comparison study. (ahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72

Functional neuroanatomy of sleep and sleep deprivation (windows to the brain). Taber KH, Hurley RA. Winter 1–5

Internal capsule size in good-outcome and poor-outcome schizophrenia. Brickman AM, Buchsbaum MS, Ivanov Z, Borod JC, Foldi NS, Hahn E, Mitelman SA, Hazlett EA, Lincoln SJ, Newmark RE, Shihabuddin L. Summer 364–376

The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170

Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404

Sudden onset panic: epileptic aura or panic disorder? (Windows to the Brain). Hurley RA, Fisher R, Taber KH. Fall 436–443

Brain Injury. *See* **Traumatic Brain Injury**

Buspirone

Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244

Cannabinoids

Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332

Nabilone could treat chorea and irritability in Huntington's disease (letter). Curtis A, Rickards H. Fall 553–554

Carbon Monoxide Intoxication

Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Winter 130–131

Catatonia

Topiramate effect in catatonia: a case series. McDaniel WW, Spiegel DR, Sahota AK. Spring 234–238

Cerebral Blood Flow

Bipolar disorder: imaging state versus trait (windows to the brain). Fried-

man JNW, Hurley RA, Taber KH. Summer 296–301
Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332
Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185

Cerebral Glucose Metabolism
Anxiety and regional cortical glucose metabolism in patients with Alzheimer's disease. Hashimoto H, Monserratt L, Nguyen P, Feil D, Harwood D, Mandelkern MA, Sultzer DL. Fall 521–528

Child and Adolescent Psychiatry
Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Turkel SB, Brumm VL, Mitchell WG, Tavare CJ. Spring 239–241
Motor response inhibition in children with Tourette's disorder. Li C-SR, Chang H-L, Hsu Y-P, Wang H-S, Ko N-C. Summer 417–419
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317
Predictors of personality change due to traumatic brain injury in children and adolescents six to twenty-four months after injury. Max JE, Levin HS, Schachar RJ, Landis J, Saunders AE, Ewing-Cobbs L, Chapman SB, Dennis M. Winter 21–32

Childhood Sexual Abuse
Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH. Winter 45–53

Clinical Trials
Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63

Clozapine
Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia (letter). Ziegenbein M, Calliess IT. Spring 246–247
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246
Isolated oculogyric crisis on clozapine discontinuation (letter). Mendhekar DN, Duggal HS. Summer 424–425

Cocaine
Variation in neurophysiological function and evidence of quantitative electroencephalogram discordance: predicting cocaine-dependent treatment attrition. Venneman S, Leuchter A, Bartzokis G, Beckson M, Simon SL, Schaefer M, Rawson R, Newton T, Cook IA, Uijtdehaage S, Ling W. Spring 208–216

Cognitive Behavioral Therapy
Cognitive behavioral therapy versus psychosurgery for refractory obsessive-compulsive disorder (letter). Anderson SW, Brooker MB Jr. Winter 129

Cognitive Deficits
Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244
Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230
Cognitive reserve and the relationship between depressive symptoms and awareness of deficits in dementia. Spitznagel MB, Tremont G, Brown LB, Gunstad J. Spring 186–190
Compromised memory function in schizophrenia and temporal lobe epilepsy. Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG. Spring 199–207
Depressive and memory symptoms as presenting features of spinocerebellar ataxia. McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF. Summer 420–422
Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185
The effect of major depression on subjective and objective cognitive deficits in mild to moderate traumatic brain injury. Chamelian L, Feinstein A. Winter 33–38
Frequency of delirium in a neurological emergency room. Ramirez-Bermudez J, Lopez-Gómez M, Ana LS, Aceves S, Nader-Kawachi J, Nicolini H. Winter 108–112
Level of cognitive impairment predicts mortality in high-risk community samples. the Memory and Medical Care Study. Lee HB, Kasper JD, Shore AD, Yokley JL, Black BS, Rabins PV. Fall 543–546
Neurocognition in depression: patients on and off medication versus healthy comparison subjects. Gualtieri CT, Johnson LG, Benedict KB. Spring 217–225
Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63

Cognitive Enhancers
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185

Cognitive Function
Ascending digits task as a measure of executive function in geriatric depression. Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC. Winter 117–120
Awareness of illness in schizophrenia: associations with multiple assessments of executive function. Lysaker PH, Whitney KA, Davis LW. Fall 516–520
Cognitive predictors of response to treatment for depression in multiple sclerosis. Julian LJ, Mohr DC. Summer 356–363
Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH. Winter 45–53

Facial shape and asymmetry by three-dimensional laser surface scanning covary with cognition in a sexually dimorphic manner. Hennessy RJ, McLearie S, Kinsella A, Waddington JL. Winter 73–80
Frontal functions in young patients with essential tremor: a case comparison study. (ahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72
Mexican-American ethnicity and cognitive function: findings from an elderly southwestern sample. Heller PL, Briones DF, Schiffer RB, Guerrero M Jr, Royall DR, Wilcox JA, Ledger EM. Summer 350–355
Predictors of subjective memory complaint in cognitively normal relatives of patients with Alzheimer's disease. Tsai DH, Green RC, Benke KS, Silliman RA, Farrer LA. Summer 384–388

Computed Tomography (CT)
Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332

Conduct Disorders
Tourette's syndrome and the law. Jankovic J, Kwak C, Frankoff R. Winter 86–95

Corticosteroids
Long-term treatment of Hashimoto's encephalopathy. Marshall GA, Doyle JJ. Winter 14–20
The neuropsychiatric profile of Addison's disease: revisiting a forgotten phenomenon. Anglin RE, Rosebush PI, Mazurek MF. Fall 450–459

Creutzfeldt-Jakob Disease (CJD)
Psychogenic movement disorder masquerading as CJD (letter). Valadi N, Morgan JC, Sethi KD. Fall 562–563

Deep Brain Stimulation
Differential effects of L-dopa and subthalamic stimulation on depression symptoms and hedonic tone in Parkinson's disease. Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Durschl G, Krack P. Summer 397–401

Delirium
Frequency of delirium in a neurological emergency room. Ramirez-Bermudez J, Lopez-Gómez M, Ana LS, Aceves S, Nader-Kawachi J, Nicolini H. Winter 108–112

Delusional Jealousy
Othello syndrome secondary to right orbitofrontal lobe excision (letter). Narumoto J, Nakamura K, Kitabayashi Y. Fall 560–561

Dementia
Acquired extroversion associated with bitemporal variant of frontotemporal dementia. Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL. Winter 100–107
Cognitive reserve and the relationship between depressive symptoms and awareness of deficits in dementia. Spitznagel MB, Tremont G, Brown LB, Gunstad J. Spring 186–190
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Family history of dementia: dementia with Lewy bodies and dementia in Parkinson's disease. Papapetropoulos S, Lieberman A, Gonzalez J, Singer C, Laufer DZ, Mash DC. Winter 113–116
White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI. Spring 191–198

Depression
Ascending digits task as a measure of executive function in geriatric depression. Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC. Winter 117–120
Bipolar disorder: imaging state versus trait (windows to the brain). Friedman JNW, Hurley RA, Taber KH. Summer 296–301
A case of difficult diagnosis of rabies in the absence of dog bite in a patient with depression (letter). Prabhakar VR, Abraham RNM. Summer 425–426
Cognitive predictors of response to treatment for depression in multiple sclerosis. Julian LJ, Mohr DC. Summer 356–363
Cognitive reserve and the relationship between depressive symptoms and awareness of deficits in dementia. Spitznagel MB, Tremont G, Brown LB, Gunstad J. Spring 186–190
Depressive and memory symptoms as presenting features of spinocerebellar ataxia. McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF. Summer 420–422
Differential effects of L-dopa and subthalamic stimulation on depression symptoms and hedonic tone in Parkinson's disease. Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Durschl G, Krack P. Summer 397–401
The effect of major depression on subjective and objective cognitive deficits in mild to moderate traumatic brain injury. Chamelian L, Feinstein A. Winter 33–38
Escitalopram for major depression in Parkinson's disease: an open-label, flexible-dosage study. Weintraub D, Taraborelli D, Morales KH, Duda JE, Katz IR, Stern MB. Summer 377–383
Modafinil-induced reversible hyperkinetic nondystonic movement disorder in a patient with major depressive disorder (letter). Luborzewski A, Regen F, Schindler F, Anghelescu I. Spring 248–249
Neuroacanthocytosis: presenting with depression (letter). Balhara YPS, Varghese ST, Kayal M. Summer 426
Neurocognition in depression: patients on and off medication versus healthy comparison subjects. Gualtieri CT, Johnson LG, Benedict KB. Spring 217–225
Serotonin transporter gene promoter region polymorphism associated with poststroke major depression. Ramasubbu R, Tobias R, Buchan AM, Bech-Hansen NT. Winter 96–99

Dissociation
Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230
The role of aura in psychopathology and dissociative experiences in epilepsy. Mula M, Cavanna A, Collimedaglia L, Barbagli D, Magli E, Monaco F. Fall 536–542

Donepezil
Dementia with mood symptoms in a fragile X premutation carrier with

the fragile X-associated tremor/ ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177

Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185

Dopamine

Central hyperdopaminergism in peduncular hallucinosis (letter). Chen WH, Lin HS, Liu JS. Fall 559

Regional alpha-synuclein aggregation, dopaminergic dysregulation, and the development of drug-related visual hallucinations in Parkinson's disease. Papapetropoulos S. Spring 149–157

Dyskinesia

Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246

Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132

Dystonia

Tardive dystonia-associated prescription of aripiprazole (letter). Pinninti NR, Mago R, Adityanjee. Summer 426–427

Editorials

Behavioral neurology and neuropsychiatry *is* a subspecialty. Silver JM. Spring 146–148

Electroencephalogram

The value of quantitative electroencephalography in clinical psychiatry: a report by the Committee on Research of the American Neuropsychiatric Association. Coburn KL, Lauterbach EC, Boutros NN, Black KJ, Arciniegas DB, Coffey CE. Fall 460–500

Variation in neurophysiological function and evidence of quantitative electroencephalogram discordance: predicting cocaine-dependent treatment attrition. Venneman S, Leuchter A, Bartzokis G, Beckson M, Simon SL, Schaefer M, Rawson R, Newton T, Cook IA, Uijtdehaage S, Ling W. Spring 208–216

Embryology

Facial shape and asymmetry by three-dimensional laser surface scanning covary with cognition in a sexually dimorphic manner. Hennessy RJ, McLearie S, Kinsella A, Waddington JL. Winter 73–80

Emergency Room

Frequency of delirium in a neurological emergency room. Ramirez-Bermudez J, Lopez-Gómez M, Ana LS, Aceves S, Nader-Kawachi J, Nicolini H. Winter 108–112

Emotional State

Impaired perception of affective prosody in schizophrenia. Bozikas VP, Kosmidis MH, Anezoulaki D, Giannakou M, Andreou C, Karavatos A. Winter 81–85

Encephalitis

Antipsychotic treatment improves outcome in herpes simplex encephalitis: a case report (letter). Guaiana G, Markova I. Spring 247

Psychiatric manifestation of SSPE (letter). Kayal M, Varghese ST, Balhara YPS. Fall 560

Encephalopathy

Long-term treatment of Hashimoto's encephalopathy. Marshall GA, Doyle JJ. Winter 14–20

Endocrine Disorders

Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246

The neuropsychiatric profile of Addison's disease: revisiting a forgotten phenomenon. Anglin RE, Rosebush PI, Mazurek MF. Fall 450–459

Epilepsy

Compromised memory function in schizophrenia and temporal lobe epilepsy. Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG. Spring 199–207

Insulinoma in differential diagnosis of seizure disorder (letter). Murat A, Pervin I, Sener KS. Spring 247–248

Interictal psychosis after stroke with forced normalization (letter). Ohara T, Monji A, Onitsuka T, Maekawa T, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S. Fall 557–558

Mid-latency auditory-evoked responses and sensory gating in focal epilepsy: a preliminary exploration. Boutros NN, Trautner P, Koryzukov O, Grunwald T, Burroughs S, Elger CE, Kurthen M, Rosburg T. Summer 409–416

The role of aura in psychopathology and dissociative experiences in epilepsy. Mula M, Cavanna A, Collimedaglia L, Barbagli D, Magli E, Monaco F. Fall 536–542

Sudden onset panic: epileptic aura or panic disorder? (Windows to the Brain). Hurley RA, Fisher R, Taber KH. Fall 436–443

Escitalopram

Escitalopram for major depression in Parkinson's disease: an open-label, flexible-dosage study. Weintraub D, Taraborelli D, Morales KH, Duda JE, Katz IR, Stern MB. Summer 377–383

Executive Function

Ascending digits task as a measure of executive function in geriatric depression. Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC. Winter 117–120

Awareness of illness in schizophrenia: associations with multiple assessments of executive function. Lysaker PH, Whitney KA, Davis LW. Fall 516–520

Extrapyramidal Symptoms

Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246

Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132

Tardive dystonia-associated prescription of aripiprazole (letter). Pinninti NR, Mago R, Adityanjee. Summer 426–427

Family History

Family history of dementia: dementia with Lewy bodies and dementia in Parkinson's disease. Papapetropoulos S, Lieberman A, Gonzalez J, Singer C, Laufer DZ, Mash DC. Winter 113–116

Fragile X Syndrome

Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177

Frontal Lobe

Acquired extroversion associated with bitemporal variant of frontotemporal

dementia. Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL. Winter 100–107
Frontal functions in young patients with essential tremor: a case comparison study. (ahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72
Othello syndrome secondary to right orbitofrontal lobe excision (letter). Narumoto J, Nakamura K, Kitabayashi Y. Fall 560–561

Gender Factors
Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH. Winter 45–53
Facial shape and asymmetry by three-dimensional laser surface scanning covary with cognition in a sexually dimorphic manner. Hennessy RJ, McLearie S, Kinsella A, Waddington JL. Winter 73–80
Impaired perception of affective prosody in schizophrenia. Bozikas VP, Kosmidis MH, Anezoulaki D, Giannakou M, Andreou C, Karavatos A. Winter 81–85

Genetics
Apolipoprotein E genotype and odor identification in schizophrenia. Moberg PJ, Arnold SE, Roalf DR, Balderston CC, Abbazia J, Kohler CG, Gur RE, Turetsky BI. Spring 231–233
Influence of angiotensin-converting enzyme polymorphism on neuropsychological subacute performance in moderate and severe traumatic brain injury. Ariza M, del Matarin M, Junqué C, Mataró M, Clemente I, Moral P, Poca MA, Garnacho A, Sahuquillo J. Winter 39–44
Serotonin transporter gene promoter region polymorphism associated with poststroke major depression. Ramasubbu R, Tobias R, Buchan AM, Bech-Hansen NT. Winter 96–99

Geriatric Psychiatry
Ascending digits task as a measure of executive function in geriatric depression. Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC. Winter 117–120
Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244
Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185
Mexican-American ethnicity and cognitive function: findings from an elderly southwestern sample. Heller PL, Briones DF, Schiffer RB, Guerrero M Jr, Royall DR, Wilcox JA, Ledger EM. Summer 350–355

Hallucinations
Central hyperdopaminergism in peduncular hallucinosis (letter). Chen WH, Lin HS, Liu JS. Fall 559
Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404
Regional alpha-synuclein aggregation, dopaminergic dysregulation, and the development of drug-related visual hallucinations in Parkinson's disease. Papapetropoulos S. Spring 149–157

Haloperidol
Essential blepharospasm responding to haloperidol (letter). Bhatia MS, Gupta R. Fall 554–556

Hashimoto's Encephalopathy
Long-term treatment of Hashimoto's encephalopathy. Marshall GA, Doyle JJ. Winter 14–20

Heart Disease
Obsessive-compulsive symptoms in heart disease patients with and without history of rheumatic fever. Alvarenga PG, Hounie AG, Mercadante MT, Diniz JB, Salem M, Spina G, Miguel EC. Summer 405–408

Herpes Simplex Encephalitis
Antipsychotic treatment improves outcome in herpes simplex encephalitis: a case report (letter). Guaiana G, Markova I. Spring 247

Hiccups
Treatment of intractable hiccups with olanzapine following recent severe traumatic brain injury (letter). Alderfer BS, Arciniegas DB. Fall 551–552

Huntington's Disease
Nabilone could treat chorea and irritability in Huntington's disease (letter). Curtis A, Rickards H. Fall 553–554

Hypothyroidism
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246

Impulse Control Impairments
Tourette's syndrome and the law. Jankovic J, Kwak C, Frankoff R. Winter 86–95

Infection
A case of difficult diagnosis of rabies in the absence of dog bite in a patient with depression (letter). Prabhakar VR, Abraham RNM. Summer 425–426
Psychiatric manifestation of SSPE (letter). Kayal M, Varghese ST, Balhara YPS. Fall 560

Insulinoma
Insulinoma in differential diagnosis of seizure disorder (letter). Murat A, Pervin I, Sener KS. Spring 247–248

L-Dopa
Differential effects of L-dopa and subthalamic stimulation on depression symptoms and hedonic tone in Parkinson's disease. Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Durschl G, Krack P. Summer 397–401

Legal Issues
Tourette's syndrome and the law. Jankovic J, Kwak C, Frankoff R. Winter 86–95

Lewy Body Dementia
Family history of dementia: dementia with Lewy bodies and dementia in Parkinson's disease. Papapetropoulos S, Lieberman A, Gonzalez J, Singer C, Laufer DZ, Mash DC. Winter 113–116

Lithium
Myasthenia gravis disclosed by lithium carbonate (letter). Alevizos B, Gatzonis S, Anagnostara C. Summer 427–429

Magnetic Resonance Imaging (MRI)
Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocker J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM. Fall 509–515
Bipolar disorder: imaging state versus trait (windows to the brain). Friedman JNW, Hurley RA, Taber KH. Summer 296–301
Brain neuroimaging in cannabis use: a

review. Quickfall J, Crockford D. Summer 318–332
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Functional neuroanatomy of sleep and sleep deprivation (windows to the brain). Taber KH, Hurley RA. Winter 1–5
Internal capsule size in good-outcome and poor-outcome schizophrenia. Brickman AM, Buchsbaum MS, Ivanov Z, Borod JC, Foldi NS, Hahn E, Mitelman SA, Hazlett EA, Lincoln SJ, Newmark RE, Shihabuddin L. Summer 364–376
The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170
Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404
White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI. Spring 191–198

Medical Education
Core curriculum for training in behavioral neurology & neuropsychiatry. Arciniegas DB, Kaufer DI, The Joint Advisory Committee on Subspecialty Certification of the American Neuropsychiatric Association and The Society for Behavioral and Cognitive Neurology. Winter 6–13

Memory
Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230
Compromised memory function in schizophrenia and temporal lobe epilepsy. Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG. Spring 199–207
Depressive and memory symptoms as presenting features of spinocerebellar ataxia. McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF. Summer 420–422
Level of cognitive impairment predicts mortality in high-risk community samples. the Memory and Medical Care Study. Lee HB, Kasper JD, Shore AD, Yokley JL, Black BS, Rabins PV. Fall 543–546
Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Mendhekar DN, Duggal HS. Fall 552–553
Predictors of subjective memory complaint in cognitively normal relatives of patients with Alzheimer's disease. Tsai DH, Green RC, Benke KS, Silliman RA, Farrer LA. Summer 384–388

Modafinil
Modafinil-induced reversible hyperkinetic nondystonic movement disorder in a patient with major depressive disorder (letter). Luborzewski A, Regen F, Schindler F, Anghelescu I. Spring 248–249

Mood Stabilizers
Myasthenia gravis disclosed by lithium carbonate (letter). Alevizos B, Gatzonis S, Anagnostara C. Summer 427–429
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317

Mood Symptoms. *See also* **Bipolar Disorder; Depression**
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Differential effects of L-dopa and subthalamic stimulation on depression symptoms and hedonic tone in Parkinson's disease. Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Durschl G, Krack P. Summer 397–401
Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Turkel SB, Brumm VL, Mitchell WG, Tavare CJ. Spring 239–241

Mortality
Level of cognitive impairment predicts mortality in high-risk community samples. the Memory and Medical Care Study. Lee HB, Kasper JD, Shore AD, Yokley JL, Black BS, Rabins PV. Fall 543–546

Motor Function
Abnormalities in motor physiology in bipolar disorder. Lohr JB, Caligiuri MP. Summer 342–349
Motor response inhibition in children with Tourette's disorder. Li C-SR, Chang H-L, Hsu Y-P, Wang H-S, Ko N-C. Summer 417–419

Movement Disorders
Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246
Essential blepharospasm responding to haloperidol (letter). Bhatia MS, Gupta R. Fall 554–556
Modafinil-induced reversible hyperkinetic nondystonic movement disorder in a patient with major depressive disorder (letter). Luborzewski A, Regen F, Schindler F, Anghelescu I. Spring 248–249
Nabilone could treat chorea and irritability in Huntington's disease (letter). Curtis A, Rickards H. Fall 553–554
Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132
Psychogenic movement disorder masquerading as CJD (letter). Valadi N, Morgan JC, Sethi KD. Fall 562–563

Multiple Sclerosis
Cognitive predictors of response to treatment for depression in multiple sclerosis. Julian LJ, Mohr DC. Summer 356–363

Myasthenia Gravis
Myasthenia gravis disclosed by lithium carbonate (letter). Alevizos B, Gatzonis S, Anagnostara C. Summer 427–429

Nabilone
Nabilone could treat chorea and irrita-

bility in Huntington's disease (letter). Curtis A, Rickards H. Fall 553–554

Neuroacanthocytosis

Neuroacanthocytosis: presenting with depression (letter). Balhara YPS, Varghese ST, Kayal M. Summer 426

Neurodevelopment

Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317

Neuroleptic Malignant Syndrome

Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Mendhekar DN, Duggal HS. Fall 552–553

Use of intravenous valproate in a patient with neuroleptic malignant syndrome (letter). Tadke RR, Suryavanshi P. Winter 131–132

Neurological Emergencies

Frequency of delirium in a neurological emergency room. Ramirez-Bermudez J, Lopez-Gómez M, Ana LS, Aceves S, Nader-Kawachi J, Nicolini H. Winter 108–112

Neuropathology

Internal capsule size in good-outcome and poor-outcome schizophrenia. Brickman AM, Buchsbaum MS, Ivanov Z, Borod JC, Foldi NS, Hahn E, Mitelman SA, Hazlett EA, Lincoln SJ, Newmark RE, Shihabuddin L. Summer 364–376

Othello syndrome secondary to right orbitofrontal lobe excision (letter). Narumoto J, Nakamura K, Kitabayashi Y. Fall 560–561

Schizophrenia-like psychosis following right putaminal infarction (letter). Kitabayashi Y, Narumoto J, Otakara C, Hyungin C, Yamada K, Fukui K. Fall 561–562

White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI. Spring 191–198

Neuropsychiatry

Behavioral neurology and neuropsychiatry *is* a subspecialty (editorial). Silver JM. Spring 146–148

Core curriculum for training in behavioral neurology & neuropsychiatry. Arciniegas DB, Kaufer DI, The Joint Advisory Committee on Subspecialty Certification of the American Neuropsychiatric Association and The Society for Behavioral and Cognitive Neurology. Winter 6–13

The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170

The size of demand for specialized neuropsychiatry services: rates of referrals to neuropsychiatric services in the South Thames region of the United Kingdom. Fleminger S, Leigh E, McCarthy C. Winter 121–128

Neuropsychological Testing

Ascending digits task as a measure of executive function in geriatric depression. Sair HI, Welsh-Bohmer KA, Wagner HR, Steffens DC. Winter 117–120

Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230

Compromised memory function in schizophrenia and temporal lobe epilepsy. Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG. Spring 199–207

Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH. Winter 45–53

Frontal functions in young patients with essential tremor: a case comparison study. Şahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72

Influence of angiotensin-converting enzyme polymorphism on neuropsychological subacute performance in moderate and severe traumatic brain injury. Ariza M, del Matarin M, Junqué C, Mataró M, Clemente I, Moral P, Poca MA, Garnacho A, Sahuquillo J. Winter 39–44

Neuropsychological and neurobehavioral correlates of aggression following traumatic brain injury. Wood RL, Liossi C. Summer 333–341

Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63

Niemann-Pick Disease

The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170

Obsessive-Compulsive Disorder

Cognitive behavioral therapy versus psychosurgery for refractory obsessive-compulsive disorder (letter). Anderson SW, Brooker MB Jr. Winter 129

Obsessive-compulsive symptoms in heart disease patients with and without history of rheumatic fever. Alvarenga PG, Hounie AG, Mercadante MT, Diniz JB, Salem M, Spina G, Miguel EC. Summer 405–408

Tourette's syndrome and the law. Jankovic J, Kwak C, Frankoff R. Winter 86–95

Oculogyric Crisis

Isolated oculogyric crisis on clozapine discontinuation (letter). Mendhekar DN, Duggal HS. Summer 424–425

Olanzapine

Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63

Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132

Persistent amnesia as a sequel of olanzapine-induced neuroleptic malignant syndrome (letter). Mendhekar DN, Duggal HS. Fall 552–553

Treatment of intractable hiccups with olanzapine following recent severe traumatic brain injury (letter). Alderfer BS, Arciniegas DB. Fall 551–552

Olfaction

Apolipoprotein E genotype and odor identification in schizophrenia. Moberg PJ, Arnold SE, Roalf DR, Balderston CC, Abbazia J, Kohler CG, Gur RE, Turetsky BI. Spring 231–233

Unirhinal olfactory function in schizophrenia patients and first-degree relatives. Roalf DR, Turetsky BI, Owzar K, Balderston CC, Johnson

SC, Brensinger CM, Gur RE, Siegel SJ, Moberg PJ. Summer 389–396

Opsoclonus-Myoclonus

Mood and behavioral dysfunction with opsoclonus-myoclonus ataxia. Turkel SB, Brumm VL, Mitchell WG, Tavare CJ. Spring 239–241

Othello Syndrome

Othello syndrome secondary to right orbitofrontal lobe excision (letter). Narumoto J, Nakamura K, Kitabayashi Y. Fall 560–561

Panic Disorder

Parkinson's disease following panic disorder (letter). Matsui H, Udaka F, Oda M, Tamura A, Kubori T, Nishinaka K, Kameyama M. Winter 130

Sudden onset panic: epileptic aura or panic disorder? (Windows to the Brain). Hurley RA, Fisher R, Taber KH. Fall 436–443

Parkinson's Disease/Parkinsonism

Differential effects of L-dopa and subthalamic stimulation on depression symptoms and hedonic tone in Parkinson's disease. Witt K, Daniels C, Herzog J, Lorenz D, Volkmann J, Reiff J, Mehdorn M, Durschl G, Krack P. Summer 397–401

Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Winter 130–131

Escitalopram for major depression in Parkinson's disease: an open-label, flexible-dosage study. Weintraub D, Taraborelli D, Morales KH, Duda JE, Katz IR, Stern MB. Summer 377–383

Family history of dementia: dementia with Lewy bodies and dementia in Parkinson's disease. Papapetropoulos S, Lieberman A, Gonzalez J, Singer C, Laufer DZ, Mash DC. Winter 113–116

Parkinson's disease following panic disorder (letter). Matsui H, Udaka F, Oda M, Tamura A, Kubori T, Nishinaka K, Kameyama M. Winter 130

Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404

Regional alpha-synuclein aggregation, dopaminergic dysregulation, and the development of drug-related visual hallucinations in Parkinson's disease. Papapetropoulos S. Spring 149–157

Peduncular Hallucinosis

Central hyperdopaminergism in peduncular hallucinosis (letter). Chen WH, Lin HS, Liu JS. Fall 559

Personality Changes

Acquired extroversion associated with bitemporal variant of frontotemporal dementia. Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL. Winter 100–107

Predictors of personality change due to traumatic brain injury in children and adolescents six to twenty-four months after injury. Max JE, Levin HS, Schachar RJ, Landis J, Saunders AE, Ewing-Cobbs L, Chapman SB, Dennis M. Winter 21–32

Positron Emission Tomography (PET)

Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332

Donepezil effects on cerebral blood flow in older adults with mild cognitive deficits. Chen X, Magnotta VA, Duff K, Boles Ponto LL, Schultz SK. Spring 178–185

Posttraumatic Stress Disorder

Cognitive function and dissociative disorder status among veteran subjects with chronic posttraumatic stress disorder: a preliminary study. Roca V, Hart J, Kimbrell T, Freeman T. Spring 226–230

Posttraumatic stress disorder symptoms during the first six months after traumatic brain injury. Bombardier CH, Fann JR, Temkin N, Esselman PC, Pelzer E, Keough M, Dikmen S. Fall 501–508

Pramipexole

Using pramipexole in neuropsychiatry: a cautionary note (letter). Almeida S, Ranjith G. Fall 556–557

Psychosis. *See also* **Schizophrenia**

Antipsychotic treatment improves outcome in herpes simplex encephalitis: a case report (letter). Guaiana G, Markova I. Spring 247

Effect of aripiprazole for a patient with psychotic symptoms and parkinsonism associated with delayed sequelae of carbon monoxide intoxication (letter). Pae C-U, Kim T-S, Lee C, Paik I-H. Winter 130–131

Interictal psychosis after stroke with forced normalization (letter). Ohara T, Monji A, Onitsuka T, Maekawa T, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S. Fall 557–558

The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170

Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404

Schizophrenia-like psychosis following right putaminal infarction (letter). Kitabayashi Y, Narumoto J, Otakara C, Hyungin C, Yamada K, Fukui K. Fall 561–562

White matter changes associated with psychotic symptoms in Alzheimer's disease patients. Lee DY, Choo IH, Kim KW, Jhoo JH, Youn JC, Lee UY, Woo JI. Spring 191–198

Psychosurgery

Cognitive behavioral therapy versus psychosurgery for refractory obsessive-compulsive disorder (letter). Anderson SW, Brooker MB Jr. Winter 129

Psychotherapy

Cognitive behavioral therapy versus psychosurgery for refractory obsessive-compulsive disorder (letter). Anderson SW, Brooker MB Jr. Winter 129

Cognitive predictors of response to treatment for depression in multiple sclerosis. Julian LJ, Mohr DC. Summer 356–363

Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317

Quetiapine

A pilot study of quetiapine treatment of aggression due to traumatic brain injury. Kim E, Bijlani M. Fall 547–549

Rabies

A case of difficult diagnosis of rabies in the absence of dog bite in a patient with depression (letter). Prabhakar VR, Abraham RNM. Summer 425–426

Race/Ethnicity
Mexican-American ethnicity and cognitive function: findings from an elderly southwestern sample. Heller PL, Briones DF, Schiffer RB, Guerrero M Jr, Royall DR, Wilcox JA, Ledger EM. Summer 350–355
Referrals
The size of demand for specialized neuropsychiatry services: rates of referrals to neuropsychiatric services in the South Thames region of the United Kingdom. Fleminger S, Leigh E, McCarthy C. Winter 121–128
Rheumatic Fever
Obsessive-compulsive symptoms in heart disease patients with and without history of rheumatic fever. Alvarenga PG, Hounie AG, Mercadante MT, Diniz JB, Salem M, Spina G, Miguel EC. Summer 405–408
Schizoaffective Disorder
Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocker J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM. Fall 509–515
Schizophrenia. *See also* **Psychosis**
Aggression and quantitative MRI measures of caudate in patients with chronic schizophrenia or schizoaffective disorder. Hoptman MJ, Volavka J, Czobor P, Gerig G, Chakos M, Blocker J, Citrome LL, Sheitman B, Lindenmayer J-P, Lieberman JA, Bilder RM. Fall 509–515
Apolipoprotein E genotype and odor identification in schizophrenia. Moberg PJ, Arnold SE, Roalf DR, Balderston CC, Abbazia J, Kohler CG, Gur RE, Turetsky BI. Spring 231–233
Awareness of illness in schizophrenia: associations with multiple assessments of executive function. Lysaker PH, Whitney KA, Davis LW. Fall 516–520
Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia (letter). Ziegenbein M, Calliess IT. Spring 246–247
Compromised memory function in schizophrenia and temporal lobe epilepsy. Yoo HJ, Lee SA, Kim SY, Kang JG, Lee JG. Spring 199–207
Delta power in sleep in relation to neuropsychological performance in healthy subjects and schizophrenia patients. Göder R, Aldenhoff JB, Boigs M, Braun S, Koch J, Fritzer G. Fall 529–535
Impaired perception of affective prosody in schizophrenia. Bozikas VP, Kosmidis MH, Anezoulaki D, Giannakou M, Andreou C, Karavatos A. Winter 81–85
Internal capsule size in good-outcome and poor-outcome schizophrenia. Brickman AM, Buchsbaum MS, Ivanov Z, Borod JC, Foldi NS, Hahn E, Mitelman SA, Hazlett EA, Lincoln SJ, Newmark RE, Shihabuddin L. Summer 364–376
Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63
Schizophrenia-like psychosis following right putaminal infarction (letter). Kitabayashi Y, Narumoto J, Otakara C, Hyungin C, Yamada K, Fukui K. Fall 561–562
Topiramate effect in catatonia: a case series. McDaniel WW, Spiegel DR, Sahota AK. Spring 234–238
Unirhinal olfactory function in schizophrenia patients and first-degree relatives. Roalf DR, Turetsky BI, Owzar K, Balderston CC, Johnson SC, Brensinger CM, Gur RE, Siegel SJ, Moberg PJ. Summer 389–396
Seizure Disorder. *See* **Epilepsy**
Sensory Gating
Mid-latency auditory-evoked responses and sensory gating in focal epilepsy: a preliminary exploration. Boutros NN, Trautner P, Koryzukov O, Grunwald T, Burroughs S, Elger CE, Kurthen M, Rosburg T. Summer 409–416
Serotonin Transporter
Serotonin transporter gene promoter region polymorphism associated with poststroke major depression. Ramasubbu R, Tobias R, Buchan AM, Bech-Hansen NT. Winter 96–99
Sexual Abuse
Effects of childhood sexual abuse on neuropsychological and cognitive function in college women. Navalta CP, Polcari A, Webster DM, Boghossian A, Teicher MH. Winter 45–53
Single Photon Emission Computed Tomography (SPECT)
Acquired extroversion associated with bitemporal variant of frontotemporal dementia. Mendez MF, Chen AK, Shapira JS, Lu P-H, Miller BL. Winter 100–107
Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332
Frontal functions in young patients with essential tremor: a case comparison study. (ahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72
The neuropsychiatry of Niemann-Pick type C disease in adulthood. Walterfang M, Fietz M, Fahey M, Sullivan D, Leane P, Lubman DI, Velakoulis D. Spring 158–170
Sleep
Delta power in sleep in relation to neuropsychological performance in healthy subjects and schizophrenia patients. Göder R, Aldenhoff JB, Boigs M, Braun S, Koch J, Fritzer G. Fall 529–535
Functional neuroanatomy of sleep and sleep deprivation (windows to the brain). Taber KH, Hurley RA. Winter 1–5
Spinocerebellar Ataxia
Depressive and memory symptoms as presenting features of spinocerebellar ataxia. McMurtray AM, Clark DG, Flood MK, Perlman S, Mendez MF. Summer 420–422
Stereotypic Behavior
Buspirone for stereotypic movements in elderly with cognitive impairment. Helvink B, Holroyd S. Spring 242–244
Stimulant Drugs
Neurodevelopmental pathways to aggression: a model to understand and target treatment in youth. Sugden SG, Kile SJ, Hendren RL. Summer 302–317
Stroke
Interictal psychosis after stroke with forced normalization (letter). Ohara T, Monji A, Onitsuka T, Maekawa T, Hirano Y, Hirano S, Hashioka S, Kato T, Yoshida I, Kanba S. Fall 557–558

Schizophrenia-like psychosis following right putaminal infarction (letter). Kitabayashi Y, Narumoto J, Otakara C, Hyungin C, Yamada K, Fukui K. Fall 561–562
Serotonin transporter gene promoter region polymorphism associated with poststroke major depression. Ramasubbu R, Tobias R, Buchan AM, Bech-Hansen NT. Winter 96–99

Subacute Sclerosing Panencephalitis (SSPE)
Psychiatric manifestation of SSPE (letter). Kayal M, Varghese ST, Balhara YPS. Fall 560

Subspecialty
Behavioral neurology and neuropsychiatry *is* a subspecialty (editorial). Silver JM. Spring 146–148
Core curriculum for training in behavioral neurology & neuropsychiatry. Arciniegas DB, Kaufer DI, The Joint Advisory Committee on Subspecialty Certification of the American Neuropsychiatric Association and The Society for Behavioral and Cognitive Neurology. Winter 6–13

Substance Use Disorders
Brain neuroimaging in cannabis use: a review. Quickfall J, Crockford D. Summer 318–332
Variation in neurophysiological function and evidence of quantitative electroencephalogram discordance: predicting cocaine-dependent treatment attrition. Venneman S, Leuchter A, Bartzokis G, Beckson M, Simon SL, Schaefer M, Rawson R, Newton T, Cook IA, Uijtdehaage S, Ling W. Spring 208–216

Tardive Dyskinesia
Clozapine-induced tardive dyskinesia and hypothyroidism (letter). Mendhekar DN, Duggal HS. Spring 245–246
Paradoxical dyskinesia with olanzapine (letter). Gupta R, Bansal S. Winter 132

Tardive Dystonia
Tardive dystonia-associated prescription of aripiprazole (letter). Pinninti NR, Mago R, Adityanjee. Summer 426–427

Topiramate
Topiramate effect in catatonia: a case series. McDaniel WW, Spiegel DR, Sahota AK. Spring 234–238

Tourette's Disorder
Motor response inhibition in children with Tourette's disorder. Li C-SR, Chang H-L, Hsu Y-P, Wang H-S, Ko N-C. Summer 417–419
Tourette's syndrome and the law. Jankovic J, Kwak C, Frankoff R. Winter 86–95

Traumatic Brain Injury
Blast-related traumatic brain injury: what is known? (windows to the brain). Taber KH, Warden DL, Hurley RA. Spring 141–145
The effect of major depression on subjective and objective cognitive deficits in mild to moderate traumatic brain injury. Chamelian L, Feinstein A. Winter 33–38
Influence of angiotensin-converting enzyme polymorphism on neuropsychological subacute performance in moderate and severe traumatic brain injury. Ariza M, del Matarin M, Junqué C, Mataró M, Clemente I, Moral P, Poca MA, Garnacho A, Sahuquillo J. Winter 39–44
Neuropsychological and neurobehavioral correlates of aggression following traumatic brain injury. Wood RL, Liossi C. Summer 333–341
A pilot study of quetiapine treatment of aggression due to traumatic brain injury. Kim E, Bijlani M. Fall 547–549
Posttraumatic stress disorder symptoms during the first six months after traumatic brain injury. Bombardier CH, Fann JR, Temkin N, Esselman PC, Pelzer E, Keough M, Dikmen S. Fall 501–508
Predictors of personality change due to traumatic brain injury in children and adolescents six to twenty-four months after injury. Max JE, Levin HS, Schachar RJ, Landis J, Saunders AE, Ewing-Cobbs L, Chapman SB, Dennis M. Winter 21–32
Treatment of intractable hiccups with olanzapine following recent severe traumatic brain injury (letter). Alderfer BS, Arciniegas DB. Fall 551–552

Tremor
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177
Frontal functions in young patients with essential tremor: a case comparison study. Şahin HA, Terzi M, Uçak S, Yapici O, Basoglu T, Onar M. Winter 64–72

United Council for Neurologic Subspecialties
Behavioral neurology and neuropsychiatry *is* a subspecialty (editorial). Silver JM. Spring 146–148

Valproate
Use of intravenous valproate in a patient with neuroleptic malignant syndrome (letter). Tadke RR, Suryavanshi P. Winter 131–132

Venlafaxine
Dementia with mood symptoms in a fragile X premutation carrier with the fragile X-associated tremor/ataxia syndrome: clinical intervention with donepezil and venlafaxine. Bourgeois JA, Farzin F, Brunberg JA, Tassone F, Hagerman P, Zhang L, Hessl D, Hagerman R. Spring 171–177

Vision
Preliminary fMRI evidence of visual system dysfunction in Parkinson's disease patients with visual hallucinations. Holroyd S, Wooten GF. Summer 402–404

Windows to the Brain
Bipolar disorder: imaging state versus trait. Friedman JNW, Hurley RA, Taber KH. Summer 296–301
Blast-related traumatic brain injury: what is known? Taber KH, Warden DL, Hurley RA. Spring 141–145
Functional neuroanatomy of sleep and sleep deprivation. Taber KH, Hurley RA. Winter 1–5
Sudden onset panic: epileptic aura or panic disorder? Hurley RA, Fisher R, Taber KH. Fall 436–443

Ziprasidone
Clozapine and ziprasidone: a useful combination in patients with treatment-resistant schizophrenia (letter). Ziegenbein M, Calliess IT. Spring 246–247
Neuropsychological normalization with long-term atypical antipsychotic treatment: results of a six-month randomized, double-blind comparison of ziprasidone vs. olanzapine. Harvey PD, Bowie CR, Loebel A. Winter 54–63